	Application No.	Applicant(s)	
Notice of Allowability	10/734,576	IIDA ET AL.	
	Examiner	Art Unit	1
	Bot LeDynh	2862	سم
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate commestights. This application is	in this application. If not include nunication will be mailed in due	ded course. THIS
2. ☑ The allowed claim(s) is/are <u>1-4</u> .			
3. The drawings filed on <u>15 December 2003</u> are accepted by	the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority una a) □ All b) □ Some* c) ⊠ None of the: 1. Certified copies of the priority documents have 2. □ Certified copies of the priority documents have 3. □ Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	e been received. e been received in Application	on No	ation from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file //ENT of this application.	e a reply complying with the re	quirements
5. A SUBSTITUTE OATH OR DECLARATION must be subminformal PATENT APPLICATION (PTO-152) which give	nitted. Note the attached EX. es reason(s) why the oath o	AMINER'S AMENDMENT or Nor declaration is deficient.	NOTICE OF
 CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the such sheet in the such sheet in the such sheet is should be labeled as such in the such sheet in the such sheet is should be labeled as such in the such sheet in the such sheet is should be labeled as such in the such sheet in the such sheet is should be labeled as such in the such sheet in the such sheet is should be labeled as such in the such sheet in the such sheet is should be labeled as such sheet in the such sheet in the such sheet is should be labeled as such sheet in the such sheet in the such sheet is sheet in the such sheet in the such sheet is sheet in the such sheet is sheet in the such sheet is sheet in the such sheet in the such sheet is sheet in the such sheet is sheet in the such sheet is sheet in the such sheet in the such sheet is sheet in the such sheet in the such sheet is sheet in the such sheet in the sheet in the such sheet is sheet in the such sheet in the	son's Patent Drawing Reviews. S Amendment / Comment of the second secon	or in the Office action of the drawings in the front (not the FR 1.121(d).	·
7. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	SIT OF BIOLOGICAL MAT FOR THE DEPOSIT OF BIO	ERIAL must be submitted. OLOGICAL MATERIAL.	Note the
 Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 05/21/04 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. Interview S Paper No. 08), 7. Examiner's	Bot Ledy	owance Mulia Inh
		Primary Exa	aminer

The following is an examiner's statement of reasons for allowance: The prior art of record does not, alone or in combination, disclose "correcting means for correcting a source table showing standard relation between a measured value in the oscillation circuit and a distance to the detection object so as to be matched to a recognition result of the actually measured value recognizing means for arbitral three distances (claim 1)"; "a step of correcting a measured value included in the range extracted from the source table so that the measured value corresponding to the measurement point maybe matched to the actually measured value (claim 2)"; "correcting means f or correcting a measured value included in the range extracted by the extracting means so that the measured value corresponding to the distance may be matched to the actually measured value (claim 3)."

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bot LeDynh whose telephone number is 5712722231. The examiner can normally be reached on Maxiflex.

Application/Control Number: 10/734,576

Art Unit: 2862

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, N. Le can be reached on 5712722235. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

BL/ 2004

Bot LeDynh, JD, PhD, DA

Page 3

Primary Examiner